

1/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Trade name BAYER FLYING INSECT KILLER

Product code (UVP) 05685493

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use Insecticide

1.3 Details of the supplier of the safety data sheet

Supplier Bayer Environmental Science

230 Cambridge Science Park

Milton Road Cambridge

Cambridgeshire CB4 0WB

United Kingdom

Telephone 00800-1214 9451

Telefax +44(0)1223 426240

Responsible Department Email: ukcropsupport@bayer.com

1.4 Emergency telephone no.

Emergency telephone no. 00800 1020 3333 (24 hr)

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Aerosols: Category 1

H222 Extremely flammable aerosol.

Acute aquatic toxicity: Category 1

H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1

H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

Labelling in accordance with Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, as amended.

Hazard label for supply/use required.

Hazardous components which must be listed on the label:



2/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 102000012978 Print Date: 29.04.2020

- d-Tetramethrin
- 1R-trans-Phenothrin
- Propane
- Butane
- Isobutane





Signal word: Danger Hazard statements

H222 Extremely flammable aerosol.

H229 Pressurised container: May burst if heated.
H410 Very toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

EUH401 To avoid risks to human health and the environment, comply with the instructions for

use.

Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P260 Do not breathe spray.

P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

Dispose of contents/container to a licensed hazardous-waste disposal contractor or

collection site except for empty clean containers which can be disposed of as non-

hazardous waste.

2.3 Other hazards

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours). Pressurised container, heating will cause pressure rise with a risk of bursting.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature

Aerosol dispenser (AE)

d-Tetramethrin < 0,5 %, 1R-trans-Phenothrin < 0,5 %

Hazardous components

Hazard statements according to Regulation (EC) No. 1272/2008

| Name | CAS-No. / | Classification | Conc. [%] |
|---------------------|----------------------------|--|-----------|
| | EC-No. / REACH Reg. No. | REGULATION (EC) No 1272/2008 | |
| 1R-trans-Phenothrin | 26046-85-5 247-431-2 | Aquatic Acute 1, H400 Aquatic Chronic 1, H410 | < 0.5 |
| d-Tetramethrin | 1166-46-7 | Aquatic Chronic 1, H410 Carc. 2, H351 | < 0.5 |



3/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

| | 214-619-0 | Aquatic Acute 1, H400 STOT SE 2, H371 Acute Tox. 4, H302 | |
|---|--|--|---------|
| HYDROCARBONS, C12- C16, ISOALKANES, CYCLICS, <2% AROMATICS | 01-2119456377-30-xxxx | Asp. Tox. 1, H304 | 5 – 10 |
| Hydrocarbons, C11-C13, isoalkanes, <2% aromatics | 01-2119456810-40-xxxx | Asp. Tox. 1, H304 | 1 – 5 |
| Butane | 106-97-8 203-448-7 01-2119474691-32-xxxx | Press. Gas Flam. Gas 1, H220 | 10 – 30 |
| Propane | 74-98-6 200-827-9 01-2119486944-21-xxxx | Press. Gas Flam. Gas 1, H220 | 5 – 10 |
| Isobutane | 75-28-5 200-857-2 | Press. Gas Flam. Gas 1, H220 | 5 – 10 |

Further information

| 1R-trans- Phenothrin | 26046-85-5 | M-Factor: 100 (acute), 100 (chronic) |
|-------------------------|------------|--------------------------------------|
| d-Tetramethrin | 1166-46-7 | M-Factor: 100 (acute), 100 (chronic) |

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

| General advice | Remove contaminated | l clothing immediately | / and dispose of safely. |
|----------------|---------------------|------------------------|--------------------------|
|----------------|---------------------|------------------------|--------------------------|

Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately

and dispose of safely.

Inhalation If abnormal over-exposure and inhalation of the aerosol occurs, the

following advice is applicable: Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.

Skin contact Immediately wash with plenty of soap and water for at least 15

minutes. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. In case of skin irritation, application of oils or lotions containing vitamin E may

be considered. If symptoms persist, call a physician.

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at

least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Warm water may increase the subjective severity of the irritation/paresthesia. This is not a sign of systemic poisoning. Apply soothing eye drops, if needed anaesthetic eye drops. Get medical attention if irritation develops and persists.

Ingestion Keep at rest. Rinse mouth. Do NOT induce vomiting. Call a physician

or poison control center immediately.



4/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

Ingestion of the liquid of the aerosol is unlikely. However, if ingested, the following advice is applicable. Call a physician or poison control center immediately. Do not induce vomiting: contains petroleum distillates and/or aromatic solvents. Risk of product entering the lungs on vomiting after ingestion. Rinse mouth.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms

Inhalation may provoke the following symptoms:

Local:, Skin and eye paraesthesia which may be severe, Usually transient with resolution within 24 hours, Skin, eye and mucous membrane irritation, Cough, Sneezing

Systemic:, discomfort in the chest, tachycardia, Hypotension, Nausea, Abdominal pain, Diarrhoea, Vomiting, Dizziness, Blurred vision, Headache, Anorexia, Somnolence, Coma, Convulsions, Tremors, Prostration, Airway hyperreaction, Pulmonary oedema, Palpitation, Muscular fasciculation, Apathy

Symptoms and hazards refer to effects observed after intake of significant amounts of the active ingredient(s).

Aspiration may cause pulmonary oedema and pneumonitis.

Symptoms and hazards refer to the solvent.

4.3 Indication of any immediate medical attention and special treatment needed

RisksThis product contains a pyrethroid. Pyrethroid poisoning should not be

confused with carbamate or organophosphate poisoning. Contains hydrocarbon solvents. May pose an aspiration pneumonia hazard.

Treatment In case of skin irritation, application of oils or lotions containing vitamin

E may be considered.

Monitor: respiratory and cardiac functions. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. Keep respiratory tract clear. Oxygen or artificial respiration if needed. In case of convulsions, a benzodiazepine (e.g. diazepam) should be given according to standard regimens. If not effective, phenobarbital may be used. There is no specific antidote. Contraindication: atropine. Contraindication: derivatives of adrenaline. Recovery is spontaneous and without sequelae. In case of aspiration intubation and bronchial lavage should

be considered. Monitor: kidney, liver and pancreas function.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.



5/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 102000012978 Print Date: 29.04.2020

5.2 Special hazards arising from the substance or mixture

Dangerous gases are evolved in the event of a fire., Heating can lead to increased pressure with risk of explosion.

5.3 Advice for firefighters

Special protective equipment for firefighters

In the event of fire and/or explosion do not breathe fumes. In the event of fire, wear self-contained breathing apparatus.

Further information

Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Precautions Keep people away from and upwind of spill/leak. Consider the need

for evacuation. Avoid contact with spilled product or contaminated surfaces. Ensure adequate ventilation. When dealing with a spillage

do not eat, drink or smoke.

6.2 Environmental precautions

Do not allow to get into surface water, drains and ground water. If spillage enters drains leading to sewage works inform local water company immediately. If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800

807060).

6.3 Methods and materials for containment and cleaning up

Methods for cleaning upThe nature of this product, when contained in commercial packs,

makes spillage unlikely. However, if significant amounts are spilled nevertheless, the following advice is applicable. Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Keep in suitable, closed containers for disposal. Clean

floors and contaminated objects with plenty of water.

Additional advice Check also for any local site procedures.

6.4 Reference to other

sections

Information regarding safe handling, see section 7.

Information regarding personal protective equipment, see section 8.

Information regarding waste disposal, see section 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling No specific precautions required when handling unopened

packs/containers; follow relevant manual handling advice. Ensure

adequate ventilation.

Advice on protection against fire and explosion

The product is extremely flammable. Vapours may form explosive mixture with air. Fire or intense heat may cause violent rupture of

packages. Keep away from heat and sources of ignition.

Hygiene measures Avoid contact with skin, eyes and clothing. Keep working clothes



6/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

separately. Wash hands before breaks and immediately after handling the product. Wash hands immediately after work, if necessary take a shower. Remove soiled clothing immediately and clean thoroughly before using again. Garments that cannot be cleaned must be destroyed (burnt).

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. Store in original container and out of the reach of children, preferably in a locked storage area. Keep away from direct sunlight. Protect from freezing. Keep containers tightly closed in a dry, cool and well-ventilated place. Protect from frost.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

7.3 Specific end use(s)

Refer to the label and/or leaflet.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

| Components | CAS-No. | Control parameters | Update | Basis |
|------------|----------|-------------------------------|---------|----------|
| Butane | 106-97-8 | 1,810 mg/m3/750 ppm (STEL) | 12 2011 | EH40 WEL |
| Butane | 106-97-8 | 1,450 mg/m3/600 ppm (TWA) | 12 2011 | EH40 WEL |

8.2 Exposure controls

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the following recommendations would apply.

Respiratory protection

Personal protective equipment is not normally required when using the aerosol. However, if there is a risk of uncontrolled exposure to the contents, the following should be considered.

Wear respirator with an organic vapours and gas filter mask (protection factor 10) conforming to EN140 type A or equivalent. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand protection

Personal protective equipment is not normally required when using the aerosol. However, if there is a risk of uncontrolled exposure to

the contents, the following should be considered.

Please observe the instructions regarding permeability and breakthrough time which are provided by the supplier of the gloves.



7/14

BAYER FLYING INSECT KILLER

Version 6 / GB
102000012978

Revision Date: 29.04.2020
Print Date: 29.04.2020

Also take into consideration the specific local conditions under which the product is used, such as the danger of cuts, abrasion, and the contact time.

Wash gloves when contaminated. Dispose of when contaminated inside, when perforated or when contamination on the outside cannot be removed. Wash hands frequently and always before eating,

drinking, smoking or using the toilet.

Material Nitrile rubber
Rate of permeability > 480 min

Glove thickness > 0.4 mm

Directive Protective gloves complying with EN

374.

Eye protection Personal protective equipment is not normally required when using

the aerosol. However, if there is a risk of uncontrolled exposure to

the contents, the following should be considered.

Wear goggles (conforming to EN166, Field of Use = 5 or equivalent).

Skin and body protection Personal protective equipment is not normally required when using

the aerosol. However, if there is a risk of uncontrolled exposure to

the contents, the following should be considered. Wear standard coveralls and Category 3 Type 6 suit.

If there is a risk of significant exposure, consider a higher protective

type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and

should be professionally laundered frequently.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Form aerosol

Colour

No data available

Odour

No data available

Melting point/range

No data available

No data available

Flash point -60 °C

The value mentioned relates to the aerosol propellant.

Flammability No data available

Auto-ignition temperature 288 °C

The value mentioned relates to the aerosol propellant.

Self-accelarating

decomposition temperature

(SADT)

No data available

Upper explosion limit 8.4 %(V)

The value mentioned relates to the aerosol propellant.



8/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

Lower explosion limit 1.8 %(V)

The value mentioned relates to the aerosol propellant.

Vapour pressure No data available
Evaporation rate No data available

Relative vapour density 2.9

The value mentioned relates to the aerosol propellant.

Relative density No data available

Density ca. 0.81 g/cm³ (20 °C)

Water solubility slightly soluble

Partition coefficient: n-

octanol/water

1R-trans-phenothrin: log Pow: 6.8

Tetramethrin: log Pow: 4.58

Viscosity, kinematic

Oxidizing properties

No data available

No data available

No data available

9.2 Other information The product is extremely flammable.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Thermal decomposition Stable under normal conditions.

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility ofNo hazardous reactions when stored and handled according to

hazardous reactions prescribed instructions.

10.4 Conditions to avoid Extremes of temperature and direct sunlight.

10.5 Incompatible materials Store only in the original container., Bases

10.6 Hazardous Thermal decomposition can lead to release of:

decomposition products Carbon oxides

Nitrogen oxides (NOx) Toxic gases/vapours

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute oral toxicity ATE (Mix) > 5,000 mg/kg

Calculation method

Acute inhalation toxicity ATE (Mix) > 5 mg/l



9/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 102000012978 Print Date: 29.04.2020

Exposure time: 4 h Calculation method

When inhaled in high concentration, the solvent vapours cause a

narcotic effect.

Acute dermal toxicity ATE (Mix) > 5,000 mg/kg

Calculation method

Skin corrosion/irritation No skin irritation (Rabbit)

The information is derived from the properties of the individual

components.

Serious eye damage/eye

irritation

No eye irritation (Rabbit)

The information is derived from the properties of the individual

components.

Respiratory or skin

sensitisation

Non-sensitizing. (Guinea pig)

The information is derived from the properties of the individual

components.

Assessment STOT Specific target organ toxicity - single exposure

1R-trans-phenothrin: Based on available data, the classification criteria are not met. Tetramethrin: Based on available data, the classification criteria are not met.

Assessment STOT Specific target organ toxicity - repeated exposure

1R-trans-phenothrin: Based on available data, the classification criteria are not met. Tetramethrin did not cause specific target organ toxicity in experimental animal studies.

Assessment mutagenicity

1R-trans-phenothrin is not considered mutagenic.

Tetramethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

Assessment carcinogenicity

1R-trans-phenothrin is not considered carcinogenic.

Tetramethrin caused at high dose levels an increased incidence of tumours in mice in the following organ(s): Testes. The mechanism that triggers tumours in rodents and the type of tumours observed are not relevant to humans.

Assessment toxicity to reproduction

1R-trans-phenothrin did not cause reproductive toxicity in laboratory animals.

Tetramethrin did not cause reproductive toxicity in a two-generation study in rats.

Assessment developmental toxicity

1R-trans-phenothrin: Based on available data, the classification criteria are not met.

Tetramethrin did not cause developmental toxicity in rats and rabbits.

Aspiration hazard

Based on available data, the classification criteria are not met.

Further information

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).



10/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 102000012978 Print Date: 29.04.2020

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Toxicity to fish LC50 (Fish) 0.010 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient D-tetramethrin.

LC50 (Oncorhynchus mykiss (rainbow trout)) 0.0027 mg/l

Exposure time: 96 h

The value mentioned relates to the active ingredient 1R-Trans-

Phenothrin.

Toxicity to aquatic invertebrates

EC50 (Daphnia magna (Water flea)) 0.11 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient tetramethrin.

EC50 (Daphnia magna (Water flea)) 0.0043 mg/l

Exposure time: 48 h

The value mentioned relates to the active ingredient 1R-Trans-

Phenothrin.

Toxicity to aquatic plants

IC50 (Algae) 0.011 mg/l

Biomass; Exposure time: 96 h

The value mentioned relates to the active ingredient 1R-Trans-

Phenothrin.

NOEC $> 0.0001 - < 0.001 \,\text{mg/l}$

The value mentioned relates to the active ingredient 1R-Trans-

Phenothrin.

12.2 Persistence and degradability

Biodegradability 1R-trans-phenothrin:

Not rapidly biodegradable

Tetramethrin:

Not rapidly biodegradable

Koc 1R-trans-phenothrin: Koc: 141000

Tetramethrin: Koc: 1249 - 2939

12.3 Bioaccumulative potential

Bioaccumulation 1R-trans-phenothrin: Bioconcentration factor (BCF) 730

Does not bioaccumulate.

Tetramethrin:

Potential bioaccumulation

12.4 Mobility in soil

Mobility in soil 1R-trans-phenothrin: Immobile in soil

Tetramethrin: Slightly mobile in soils

12.5 Results of PBT and vPvB assessment

PBT and vPvB assessment 1R-trans-phenothrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

Tetramethrin: This substance is not considered to be persistent,

bioaccumulative and toxic (PBT). This substance is not considered to be

very persistent and very bioaccumulative (vPvB).

12.6 Other adverse effects



11/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

Additional ecological

information

No other effects to be mentioned.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product In accordance with current regulations and, if necessary, after

consultation with the site operator and/or with the responsible authority, the product may be taken to a waste disposal site or incineration plant. Advice may be obtained from the local waste regulation authority (part

of the Environment Agency in the UK).

Contaminated packaging Ensure aerosol container is empty before disposal.

Dispose of empty container in the dustbin. Dispose of empty and cleaned packaging safely.

Waste key for the unused

product

16 05 04* gases in pressure containers (including halons) containing

hazardous substances

06 13 01* Inorganic plant protection products, wood-preserving agents

and other biocides

SECTION 14: TRANSPORT INFORMATION

ADR/RID/ADN

14.1 UN number 1950
14.2 Proper shipping name AEROSOLS

14.3 Transport hazard class(es) 2.1

14.4 Packaging Group NOT APPLICABLE.

14.5 Environm. Hazardous Mark YES

Hazard no. NOT APPLICABLE.

Tunnel Code D

This classification is in principle not valid for carriage by tank vessel on inland waterways. Please refer to the manufacturer for further information.

IMDG

14.1 UN number 1950
14.2 Proper shipping name AEROSOLS

(TETRAMETHRIN)

14.3 Transport hazard class(es) 2.1

14.4 Packaging Group NOT APPLICABLE.

14.5 Marine pollutant YES

IATA

14.1 UN number 1950

14.2 Proper shipping name AEROSOLS, FLAMMABLE

NO

14.3 Transport hazard class(es) 2.1

14.4 Packaging Group NOT APPLICABLE.

14.5 Environm. Hazardous Mark



12/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 102000012978 Print Date: 29.04.2020

UK 'Carriage' Regulations

14.1 UN number 1950

14.2 Proper shipping name AEROSOLS

14.3 Transport hazard class(es) 2.1

14.4 Packaging Group NOT APPLICABLE.

14.5 Environm. Hazardous Mark YES

14.6 Special precautions for user

See sections 6 to 8 of this Safety Data Sheet.

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

No transport in bulk according to the IBC Code.

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK and Northern Ireland Regulatory References

This material may be subject to some or all of the following regulations (and any subsequent amendments). Users must ensure that any uses and restrictions as indicated on the label and/or leaflet are followed.

Transport

Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No 1348)

Merchant Shipping (Dangerous Goods and Marine Pollutants) Regulations 1997 (SI 1997 No 2367) Air Navigation Dangerous Goods Regulations 2002 (SI 2002 No 2786)

Supply and Use

Chemical (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009 No 716) Chemical (Hazard Information and Packaging for Supply) (Northern Ireland) Regulations 2009 Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No 2677)

EH40 Occupational Exposure Limits - Table 1 List of approved workplace exposure limits Control of Pesticide Regulations 1986

Dangerous Substances and Explosive Atmospheres Regulations 2002

Waste Treatment

Environmental Protection Act 1990, Part II

Environmental Protection (Duty of Care) Regulations 1991

The Waste Management Licensing Regulations 1994 (as amended)

Hazardous Waste Regulations 2005 (Replacing Special Waste Regulations 1996 as amended) Landfill Directive

Regulation on Substances That Deplete the Ozone Layer 1994 (EEC/3093/94)

Water Resources Act 1991

Anti-Pollution Works Regulations 1999

Further information

WHO-classification: III (Slightly hazardous)

15.2 Chemical safety assessment

A chemical safety assessment is not required.



13/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 Print Date: 29.04.2020

SECTION 16: OTHER INFORMATION

Note:

This data sheet has been generated according to the safety data sheet supplied by the manufacturer of the product.

Sumitomo Chemical (U.K) PLC

Text of the hazard statements mentioned in Section 3

H220 Extremely flammable gas. H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H351 Suspected of causing cancer. H371 May cause damage to organs. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Abbreviations and acronyms

ADN European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

ATE Acute toxicity estimate

CAS-Nr. Chemical Abstracts Service number

Conc. Concentration

EC-No. European community number ECx Effective concentration to x %

EH40 WEL Worker Exposure Limit

EINECS European inventory of existing commercial substances

ELINCS European list of notified chemical substances

EN European Standard EU European Union

IATA International Air Transport Association

IBC International Code for the Construction and Equipment of Ships Carrying Dangerous

Chemicals in Bulk (IBC Code) Inhibition concentration to x %

IMDG International Maritime Dangerous Goods

LCx Lethal concentration to x %

LDx Lethal dose to x %

ICx

LOEC/LOEL Lowest observed effect concentration/level

MARPOL: International Convention for the prevention of marine pollution from ships

N.O.S. Not otherwise specified

NOEC/NOEL No observed effect concentration/level

OECD Organization for Economic Co-operation and Development

RID Regulations concerning the International Carriage of Dangerous Goods by Rail

SI Statutory Instrument
TWA Time weighted average

UN United Nations

WHO World health organisation

The information contained within this Safety Data Sheet is in accordance with the guidelines established by Regulation (EU) 1907/2006 and Regulation (EU) 2015/830 amending Regulation (EU)



14/14

BAYER FLYING INSECT KILLER

Version 6 / GB Revision Date: 29.04.2020 102000012978 Print Date: 29.04.2020

No 1907/2006 and any subsequent amendments. This data sheet complements the user's instructions, but does not replace them. The information it contains is based on the knowledge available about the product concerned at the time it was compiled. Users are further reminded of the possible risks of using a product for purposes other than those for which it was intended. The required information complies with current EEC legislation. Addressees are requested to observe any additional national requirements.

Reason for Revision: The following sections have been revised: Section 3: Composition /

Information on Ingredients.

Safety Data Sheet according to Regulation (EU) No. 2015/830. The following sections have been revised: Section 2: Hazards Identification. Section 7: Handling and Storage. Section 8: Exposure Controls /

Personal Protection.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.